# Lens availability charts

Free Form Progressives	iD MyStyle® 2	New iD LifeStyle® 4*	iD LifeStyle® 3*	Array <sup>®</sup> 2 21mm/19mm/17mm/14mm				
Minimum Fitting Height	Personalized to frame 14mm	20mm/14mm	18mm/14mm					
Plastic 1.50	-8.00 to +6.00 Cyl. to -6.00	-8.00 to +6.00 Cyl. to -6.00	-8.00 to +6.00 Cyl. to -6.00	-10.00 to +6.00 Cyl. to -6.00				
	(+0.75 to +3.50)	(+0.75 to +4.00)	(+0.75 to +4.00)	(+0.75 to +4.00)				
Clear Blue Filter 1.50	-8.00 to +6.00 Cyl. to 6.00	-8.00 to +6.00 Cyl. to 6.00	-8.00 to +6.00 Cyl. to 6.00	-10.00 to +6.00 Cyl. to -6.00				
	(+0.75 to +3.50))	(+0.75 to +4.00)	(+0.75 to +4.00)	(+0.75 to +4.00)				
Plastic 1.50 Polarized		-10.00 to +3.75 Cyl. to -6.00 (+0.75 to +4.00) •••	-10.00 to +3.75 Cyl. to -6.00 (+0.75 to +4.00) •••	-10.00 to +3.75 Cyl. to -6.00 (+0.75 to +4.00) ●●●				
Plastic 1.50 Sensity <sup>®</sup> 2	-8.00 to +6.00 Cyl. to -6.00	-8.00 to +6.00 Cyl. to -6.00	-8.00 to +6.00 Cyl. to -6.00	-8.00 to +6.00 Cyl. to -6.00				
	(+0.75 to +3.50) ••••/SD/SS	(+0.75 to +4.00)	(+0.75 to +4.00)	(+0.75 to +4.00) ••••/SF/SD/SS				
Plastic 1.50 Transitions®				-10.00 to +3.75 Cyl. to -6.00 (+0.75 to +4.00) ●●/S/8/X/XPG				
Phoenix <sup>®</sup> 1.53	-8.00 to +6.00 Cyl. to -6.00	-8.00 to +6.00 Cyl. to -6.00	-8.00 to +6.00 Cyl. to -6.00	-10.00 to +6.00 Cyl. to -6.00				
	(+0.75 to +3.50)	(+0.75 to +4.00)	(+0.75 to +4.00)	(+0.75 to +4.00)				
Phoenix <sup>®</sup> 1.53 Polarized		-10.00 to +4.50 Cyl. to -6.00 (+0.75 to +4.00) ●●	-10.00 to +4.50 Cyl. to -6.00 (+0.75 to +4.00) ●●	-10.00 to +4.50 Cyl. to -6.00 (+0.75 to +4.00) ●●				
Phoenix <sup>®</sup> 1.53 Sensity <sup>®</sup> 2	-8.00 to +6.00 Cyl. to -6.00	-8.00 to +6.00 Cyl. to -6.00	-8.00 to +6.00 Cyl. to -6.00	-10.00 to +6.00 Cyl. to -6.00				
	(+0.75 to +3.50) ••••/SD/SS	(+0.75 to +4.00)	(+0.75 to +4.00)	(+0.75 to +4.00)				
Phoenix <sup>®</sup> 1.53 Transitions <sup>®</sup>			-8.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) ●●/8	-10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) ●●/S/8/X				
Poly 1.59	-6.00 to +6.00 Cyl. to 6.00	-6.00 to +6.00 Cyl. to 6.00	-6.00 to +6.00 Cyl. to 6.00	-13.00 to +6.00 Cyl. to -6.00				
	(+0.75 to +4.00)	(+0.75 to +4.00)	(+0.75 to +4.00)	(+0.75 to +4.00)				
Clear Blue Filter 1.59	-6.00 to +6.00 Cyl. to 6.00	-6.00 to +6.00 Cyl. to 6.00	-6.00 to +6.00 Cyl. to 6.00	-13.00 to +6.00 Cyl. to -6.00				
	(+0.75 to +4.00)	(+0.75 to +4.00)	(+0.75 to +4.00)	(+0.75 to +4.00)				
Poly 1.59 Polarized	-13.00 to +5.25 Cyl. to -6.00	-13.00 to +5.25 Cyl. to -6.00	-13.00 to +5.25 Cyl. to -6.00	-13.00 to +5.25 Cyl. to -6.00				
	(+0.75 to +4.00)	(+0.75 to +4.00) ●●●	(+0.75 to +4.00) •••	(+0.75 to +4.00) •••				
Poly 1.59 Coppertone®		-13.00 to +5.25 Cyl. to -6.00 (+0.75 to +4.00) ●●●	-13.00 to +5.25 Cyl. to -6.00 (+0.75 to +4.00) •••	-10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) •••				
Poly 1.59 Sensity® 2	-6.00 to +6.00 Cyl. to 6.00	-6.00 to +6.00 Cyl. to 6.00	-6.00 to +6.00 Cyl. to 6.00	-10.00 to +6.00 Cyl. to -6.00				
	(+0.75 to +4.00) ••••/SD/SS	(+0.75 to +4.00) ●●●●/SD/SS	(+0.75 to +4.00) ●●●●/SD/SS	(+0.75 to +4.00) ••••/SF/SD/SS				
Poly 1.59 Transitions*			-6.00 to +6.00 Cyl. to 6.00 (+0.75 to +4.00) ●●/8	-13.00 to +5.25 Cyl. to -6.00 (+0.75 to +4.00) ●●/S/8/X/XPG				
Hi-Index 1.60	-11.00 to +8.00 Cyl. to -6.00	-11.00 to +8.00 Cyl. to -6.00	-11.00 to +8.00 Cyl. to -6.00	-10.00 to +6.00 Cyl. to -6.00				
	(+0.75 to +3.50)	(+0.75 to +4.00)	(+0.75 to +4.00)	(+0.75 to +4.00)				
Hi-Index 1.60 Polarized	-			-10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00)				
Hi-Index 1.60 Sensity® 2	-11.00 to +8.00 Cyl. to -6.00	-11.00 to +8.00 Cyl. to -6.00	-11.00 to +8.00 Cyl. to -6.00	-10.00 to + 6.00 Cyl. to -6.00				
	(+0.75 to +3.50) ••••/SD/SS	(+0.75 to +3.50)	(+0.75 to +3.50) ••••/SD/SS	(+0.75 to +3.50)				
Hi-Index 1.60 Transitions®				-10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) ●●/8				
Hi-Index 1.67	-13.00 to +8.00 Cyl. to -6.00	-13.00 to +8.00 Cyl. to -6.00	-13.00 to +8.00 Cyl. to -6.00	-13.00 to +7.50 Cyl. to -6.00				
	(+0.75 to +3.50)	(+0.75 to +4.00)	(+0.75 to +4.00)	(+0.75 to +4.00)				
Clear Blue Filter 1.67				-13.00 to +7.50 Cyl. to -6.00 (+0.75 to +4.00)				
Hi-Index 1.67 Polarized		-10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) •••	-10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) •••	-13.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) •••				
Hi-Index 1.67 Sensity <sup>®</sup> 2	-13.00 to +8.00 Cyl. to -6.00	-13.00 to +8.00 Cyl. to -6.00	-13.00 to +8.00 Cyl. to -6.00	-13.00 to +7.50 Cyl. to -6.00				
	(+0.75 to +3.50) ••••/SD/SS	(+0.75 to +4.00)	(+0.75 to +4.00)	(+0.75 to +4.00) ••••/SF/SD/SS				
Hi-Index 1.67 Transitions®			-13.00 to +8.00 Cyl. to -6.00 (+0.75 to +4.00) ●●/8	-13.00 to +7.50 Cyl. to -6.00 (+0.75 to +4.00) ●●/S/8/X/XPG				
Hi-Index 1.74	-13.00 to +8.00 Cyl. to -6.00	-13.00 to +8.00 Cyl. to -6.00	-13.00 to +8.00 Cyl. to -6.00	-13.00 to +8.00 Cyl. to -6.00				
	(+0.75 to +3.50)	(+0.75 to +3.50)	(+0.75 to +3.50)	(+0.75 to +4.00)				

S = Transitions GEN S 8 = Transitions GEN 8 X = Transitions® XTRActive® New Generation XPG = Transitions® XTRActive® Polarized™ Gray SF = Sensity® Fast Gray & Brown SD = Sensity® Dark SS = Sensity® Shine

\*Not all iD LifeStyle 3 & 4 Polarized lenses come with iD technology.

\*\* Sensity® Shine, Sensity® 2 Blue/Green, Sensity® 2 in 1.60, and Sensity® Dark in iD designs add powers are available from +0.75 to +3.50.



### Lens availability charts

### **Amplitude**® **Free Form Amplitude**® ΗΟΥΑ **Progressives** Array<sup>®</sup> 2 Wrap HD3/Mini BKS/Mini GP Wide™ **Minimum Fitting Height** 21mm/19mm/17mm/14mm 18mm/14mm 19mm/14mm 18mm -5.00 to +4.00 Cyl. to -6.00 (+0.75 to +4.00) -8.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) -10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) -10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) Plastic 1.50 -5.00 to +4.00 Cvl. to -6.00 -8.00 to +6.00 Cyl. to 6.00 (+0.75 to +4.00) -10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) -10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) **Clear Blue Filter 1.50** (+0.75 to +3.50) -5.00 to +4.00 Cyl. to -6.00 (+0.75 to +4.00) •• -10.00 to +3.75 Cyl. to -6.00 (+0.75 to +4.00) ••• -10.00 to +3.75 Cvl. to -6.00 Plastic 1.50 Polarized (+0.75 to +4.00) -8.00 to +6.00 Cyl. to -6.00 -5.00 to +4.00 Cyl. to -6.00 -8.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) ••••/SD/SS -8.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) ••••/SF/SD/SS Plastic 1.50 Sensity<sup>®</sup> 2 (+0.75 to +4.00) ••••/SF/SD/SS (+0.75 to +4.00) •••/SF/SD/SS -5.00 to +4.00 Cyl. to -4.00 -8.00 to +6.00 Cyl. to -6.00 -10.00 to +3.75 Cyl. to -6.00 -10.00 to +3.75 Cyl. to -6.00 Plastic 1.50 Transitions® (+0.75 to +4.00) ••/S/8/X/XPG (+0.75 to +4.00) •• (+0.75 to +4.00) ••/S/8/X/XPG (+0.75 to +4.00) ••/S/8/X/XPG -8.00 to +6.00 Cyl. to -6.00 -10.00 to +6.00 Cyl. to -6.00 -5.00 to +4.00 Cyl. to -6.00 -10.00 to +6.00 Cyl. to -6.00 Phoenix<sup>®</sup> 1.53 (+0.75 to +4.00) (+0.75 to +4.00) (+0.75 to +4.00) (+0.75 to +4.00) -5.00 to +4.00 Cyl. to -6.00 -10.00 to +4.50 Cyl. to -6.00 -10.00 to +4.50 Cyl. to -6.00 Phoenix<sup>®</sup> 1.53 Polarized (+0.75 to +4.00) •• (+0.75 to +4.00) •• (+0.75 to +4.00) •• -5.00 to +4.00 Cyl. to -6.00 (+0.75 to +4.00) ••••/SF/SD/SS -10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) ••••/SF/SD/SS -10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) •••/SF/SD/SS -8.00 to +6.00 Cyl. to -6.00 Phoenix<sup>®</sup> 1.53 Sensity<sup>®</sup> 2 (+0.75 to +4.00) •••/SD/SS -5.00 to +4.00 Cyl. to -4.00 -8.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) ••/8 -10.00 to +6.00 Cyl. to -6.00 -10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) ••/5/8/X Phoenix<sup>®</sup> 1.53 Transitions<sup>®</sup> (+0.75 to +4.00) ••/S/8/X (+0.75 to +4.00) ••/5/8/X -6.00 to +4.00 Cyl. to -6.00 (+0.75 to +4.00) -6.00 to +6.00 Cyl. to 6.00 (+0.75 to +4.00) -13.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) -13.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) Poly 1.59 -6.00 to +6.00 Cyl. to 6.00 (+0.75 to +4.00 -13.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) -6.00 to +4.00 Cyl. to -6.00 -13.00 to +6.00 Cyl. to -6.00 **Clear Blue Filter 1.59** (+0.75 to +4.00) (+0.75 to +4.00) -6.00 to +4.00 Cvl. to -6.00 -6.00 to +6.00 Cyl. to 6.00 -13.00 to +5.25 Cvl. to -6.00 -13.00 to +5.25 Cvl. to -6.00 Poly 1.59 Polarized (+0.75 to +4.00) •• (+0.75 to +4.00) ••• (+0.75 to +4.00) ••• (+0.75 to +4.00) ••• -6.00 to +4.00 Cyl. to -6.00 -10.00 to +6.00 Cyl. to -6.00 -10.00 to +6.00 Cyl. to -6.00 Poly 1.59 Coppertone® (+0.75 to +4.00) ••• (+0.75 to +4.00) ••• (+0.75 to +4.00) ••• -6.00 to +4.00 Cyl. to -6.00 6.00 to +6.00 Cyl. to 6.00 10.00 to +6.00 Cyl. to -6.00 -10.00 to +6.00 Cyl. to -6.00 Poly 1.59 Sensity<sup>®</sup> 2 (+0.75 to +4.00) •••/SE/SD/SS (+0.75 to +4.00) •••/SD/SS (+0.75 to +4.00) •••/SF/SD/SS (+0.75 to +4.00) •••/SF/SD/SS -6.00 to +4.00 Cyl. to -4.00 -6.00 to +6.00 Cyl. to 6.00 -13.00 to +5.25 Cyl. to -6.00 -13.00 to +5.25 Cyl. to -6.00 Poly 1.59 Transitions® (+0.75 to +4.00) •• (+0.75 to +4.00) ••/S/8/X/XPG (+0.75 to +4.00) ••/S/8/X/XPG (+0.75 to +4.00) ••/S/8/X/XPG -10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) -10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) -6.00 to +4.00 Cyl. to -6.00 -11.00 to +8.00 Cyl. to -6.00 Hi-Index 1.60 (+0.75 to +4.00) (+0.75 to +4.00) -6.00 to +4.00 Cyl. to -6.00 (+0.75 to +4.00) -10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) -10.00 to +6.00 Cyl. to -6.00 (+0.75 to +4.00) Hi-Index 1.60 Polarized -11 00 to +8 00 Cvl to -6 00 -10.00 to + 6.00 Cyl. to -6.00 -10.00 to + 6.00 Cyl. to -6.00 Hi-Index 1.60 Sensity<sup>®</sup> 2 (+0.75 to +3.50)/SD/SD (+0.75 to +3.50) ••••/SD/SS (+0.75 to +3.50) ••••/SD/S -6.00 to +4.00 Cyl. to -4.00 -10.00 to +6.00 Cyl. to -6.00 -10.00 to +6.00 Cyl. to -6.00 Hi-Index 1.60 Transitions (+0.75 to +4.00) ••/8 (+0.75 to +4.00) ••/8 (+0.75 to +4.00) ••/8 -13.00 to +7.50 Cyl. to -6.00 (+0.75 to +4.00) -6.00 to +4.00 Cyl. to -6.00 -13.00 to +7.50 Cyl. to -6.00 -13.00 to +8.00 Cyl. to -6.00 Hi-Index 1.67 (+0.75 to +4.00) (+0.75 to +4.00) (+0.75 to +4.00) -6.00 to +4.00 Cyl. to -6.00 -13.00 to +7.50 Cyl. to -6.00 -13.00 to +7.50 Cyl. to -6.00 **Clear Blue Filter 1.67** (+0.75 to +4.00) (+0.75 to +4.00) (+0.75 to +4.00) -6.00 to +4.00 Cyl. to -6.00 -13.00 to +6.00 Cyl. to -6.00 -13.00 to +6.00 Cyl. to -6.00 Hi-Index 1.67 Polarized (+0.75 to +4.00) •• (+0.75 to +4.00) (+0.75 to +4.00) -13.00 to +7.50 Cyl. to -6.00 (+0.75 to +4.00) ••••/SF/SD/SS -6.00 to +4.00 Cyl. to -6.00 -13.00 to +8.00 Cyl. to -6.00 -13.00 to +7.50 Cyl. to -6.00 Hi-Index 1.67 Sensity<sup>®</sup> 2 (+0.75 to +4.00) •••/SF/SD/SS (+0.75 to +4.00) •••/SF/SD/SS (+0.75 to +4.00) •••/SD/SS -6.00 to +4.00 Cyl. to -4.00 (+0.75 to +4.00) ••/S/8/X/XPG -13.00 to +8.00 Cyl. to -6.00 (+0.75 to +4.00) ••/8 -13.00 to +7.50 Cyl. to -6.00 (+0.75 to +4.00) ••/S/8/X/XPG -13.00 to +7.50 Cyl. to -6.00 (+0.75 to +4.00) ••/S/8/X/XPG Hi-Index 1.67 Transitions\* -6.00 to +4.00 Cyl. to -6.00 (+0.75 to +4.00) -13.00 to +8.00 Cyl. to -6.00 (+0.75 to +3.50) -13.00 to +8.00 Cyl. to -6.00 (+0.75 to +4.00) -13.00 to +8.00 Cyl. to -6.00 (+0.75 to +4.00) Hi-Index 1.74

FOR THE VISIONARIES

\$ = Transitions GEN S 8 = Transitions GEN 8 X = Transitions<sup>®</sup> XTRActive<sup>®</sup> New Generation XPG = Transitions<sup>®</sup> XTRActive<sup>®</sup> Polarized<sup>™</sup> Gray \$F = Sensity<sup>®</sup> Fast Gray & Brown \$D = Sensity<sup>®</sup> Dark \$\$ = Sensity<sup>®</sup> Shine

\*Not all iD LifeStyle 3 & 4 Polarized lenses come with iD technology.

\*\* Sensity® Shine, Sensity® 2 Blue/Green, Sensity® 2 in 1.60, and Sensity® Dark in iD designs add powers are available from +0.75 to +3.50.

## Lens availability charts



remium SV, Bifocal New Media Optics	iD Single Vision®	MySV™	iD Space™, iD Screen™, iD Zoom™	Sync III™								
Minimum Fitting Height		Personalized to frame 18mm										
Plastic 1.50		-10.00 to +10.00 Cyl. to -6.00	-8.00 to +5.00 Cyl. to -4.00 (+1.00 to +3.50)	-10.00 to +6.00 Cyl. to -6.00								
Clear Blue Filter 1.50		-10.00 to +10.00 Cyl. to -6.00		-10.00 to +6.00 Cyl. to -6.00								
Plastic 1.50 Polarized		-10.00 to +4.00 Cyl. to -6.00		-10.00 to +6.00 Cyl. to -6.00								
Plastic 1.50 Sensity® 2		-10.00 to +4.00 Cyl. to -6.00 ••••/SF/SD/SS	-8.00 to +5.00 Cyl. to -4.00 (+1.00 to +3.50) ••••/SD/SS	-8.00 to +6.00 Cyl. to -6.00 ••••/SF/SD/SS								
Plastic 1.50 Transitions*		-8.00 to +9.00 Cyl. to -4.00 ●●/S/8/X/XP		-10.00 to +6.00 Cyl. to -6.00 ●●/S/8/X/XP								
Phoenix <sup>®</sup> 1.53		-13.00 to +9.00 Cyl. to -6.00	-8.00 to +5.00 Cyl. to -4.00 (+1.00 to +3.50)	-10.00 to +6.00 Cyl. to -6.00								
Phoenix <sup>®</sup> 1.53 Polarized		-12.00 to +6.00 Cyl. to -6.00 ●●		-10.00 to +4.50 Cyl. to -6.00 ••								
Phoenix <sup>®</sup> 1.53 Sensity <sup>®</sup> 2		-13.00 to +9.00 Cyl. to -6.00 ••••/SF/SD/SS	-8.00 to +5.00 Cyl. to -4.00 (+1.00 to +3.50) ••••/SD/SS	-10.00 to +6.00 Cyl. to -6.00								
Phoenix <sup>®</sup> 1.53 Transitions <sup>®</sup>		-13.00 to +9.00 Cyl. to -4.00 ●●/5/8/X		-10.00 to +6.00 Cyl. to -6.00 ●●/\$/8/X								
oly 1.59		-10.00 to +6.00 Cyl. to -6.00		-13.00 to +6.00 Cyl. to -6.00								
lear Blue Filter 1.59		-10.00 to +6.00 Cyl. to -6.00		-13.00 to +6.00 Cyl. to -6.00								
oly 1.59 Polarized		-9.00 to +6.00 Cyl. to -6.00		-13.00 to +6.00 Cyl. to -6.00								
oly 1.59 Coppertone®		-9.00 to +6.00 Cyl. to -6.00		-13.00 to +6.00 Cyl. to -6.00								
oly 1.59 Sensity <sup>®</sup> 2		-9.00 to +6.00 Cyl. to -6.00		-13.00 to +6.00 Cyl. to -6.00								
oly 1.59 Transitions®		-6.00 to +6.00 Cyl. to -4.00 ●●/\$/8/X/XPG		-13.00 to +5.25 Cyl. to -6.00 ••/s/8/X/XPG								
li-Index 1.60	-10.00 to +8.00 Cyl. to -4.00	-13.00 to +8.00 Cyl. to -6.00	-11.00 to +7.00 Cyl. to -4.00 (+1.00 to +3.50)	-10.00 to +6.00 Cyl. to -6.00								
li-Index 1.60 Polarized		-13.00 to +8.00 Cyl. to -6.00		-10.00 to +6.00 Cyl. to -6.00								
li-Index 1.60 Sensity <sup>®</sup> 2	-10.00 to +8.00 Cyl. to -4.00 ••••/SD/SS	-13.00 to +6.50 Cyl. to -6.00 ••••/SD/SS	-10.00 to +6.00 Cyl. to -4.00 (+1.00 to +3.50) ••••/SD/SS	-10.00 to + 6.00 Cyl. to -6.00								
li-Index 1.60 Transitions®		-10.00 to +8.00 Cyl. to -4.00 ●●/8		-10.00 to +6.00 Cyl. to -6.00 ••/8								
li-Index 1.67	-15.00 to +10.00 Cyl. to -4.00	-15.00 to +8.00 Cyl. to -6.00	-13.00 to +7.00 Cyl. to -4.00 (+1.00 to +3.50)	-13.00 to +7.50 Cyl. to -6.00								
lear Blue Filter 1.67		-15.00 to +8.00 Cyl. to -6.00		-13.00 to +7.50 Cyl. to -6.00								
i-Index 1.67 Polarized		-15.00 to +10.00 Cyl. to -6.00		-13.00 to +6.00 Cyl. to -6.00								
li-Index 1.67 Sensity <sup>®</sup> 2	-15.00 to +10.00 Cyl. to -4.00 ••••/SD/SS	-15.00 to +8.00 Cyl. to -6.00 ••••/SF/SD/SS	-13.00 to +7.50 Cyl. to -4.00 (+0.75 to +3.50) ••••/SD/SS	-13.00 to +7.50 Cyl. to -6.00 ••••/SF/SD/SS								
ii-Index 1.67 Transitions®		-10.00 to +8.00 Cyl. to -4.00 ●●/s/8/X/XPG		-13.00 to +7.50 Cyl. to -6.00 ●●/5/8/X/XPG								
li-Index 1.74	-15.00 to +10.00 Cyl. to -4.00	-15.00 to +10.00 Cyl. to -6.00	-13.00 to +8.00 Cyl. to -4.00 (+0.75 to +3.50)	-13.00 to +8.00 Cyl. to -6.00								

S = Transitions GEN S 8 = Transitions GEN 8 X = Transitions® XTRActive® New Generation XPG = Transitions® XTRActive® Polarized™ Gray SF = Sensity® Fast Gray & Brown SD = Sensity® Dark SS = Sensity® Shine

\*Not all iD LifeStyle 3 & 4 Polarized lenses come with iD technology.

\*\* Sensity® Shine, Sensity® 2 Blue/Green, Sensity® 2 in 1.60, and Sensity® Dark in iD designs add powers are available from +0.75 to +3.50.

### **AR compatibility guide**

Key Super HiVision <sup>®</sup> Meiryo <sup>®</sup> EX4 <sup>®</sup>					4™	Super HiVision° EX3+" & EX3"				Recharge**				Sup	er HiVis	HiVision° w/VP					
Warranty	2 Years/unlimited					2 Years/unlimited			2 Y	2 Years/unlimited			2 Year	2 Years/2 times							
Designs	Plastic / Plastic CBF	Plastic Sensity® 2	Plastic Transitions®	Plastic Polarized	Phoenix®	Phoenix® Sensity® 2	Phoenix® Transitions®	Phoenix® Polarized	Poly / Poly CBF	Poly Sensity® 2	Poly Transitions®	Poly Polarized	Hi-Index 1.60	Hi-Index 1.60 Sensity® 2	Hi-Index 1.60 Transitions®	Hi-Index 1.60 Polarized	Hi-Index 1.67 / Hi-Index 1.67 CBF	Hi-Index 1.67 Sensity® 2	Hi-Index 1.67 Transitions®	Hi-Index 1.67 Polarized	Hi-Index 1.74
Refractive index	1.50	1.50	1.50	1.50	1.53	1.53	1.53	1.53	1.59	1.59	1.59	1.59	1.60	1.60	1.60	1.60	1.67	1.67	1.67	1.67	1.7
iD MyStyle® 2	:	•				÷					-	•		•			1.67 Only	•			
New iD LifeStyle® 4	<b>,</b>					•											1.67 Only				
iD LifeStyle® 3	•					•											1.67 Only				
Array® 2/Wrap	:		•			•		•							•						1
Amplitude® BKS/Mini	•		•			•	•		•						•	•					
Amplitude® HD3/Mini	4					•											1.67 Only				
iD Space™ iD Screen™ iD Zoom™	Plastic Only	•			•	•											1.67 Only				
HOYA GP Wide®																					
Sync III™	•		•			•									•						
iD Single Vision™																					
MySV™	•					•															
RD24	•																				
STT7X28	Plastic Only								Poly Only												
STT8X35	Plastic Only								Poly Only												

\*Super HiVision Meiryo EX4, Super HiVision EX3+, Super HiVision EX3, Recharge, and Super HiVision automatically include the View Protect Performance. \*\*Array 2 Wrap 1.74 only available in PAV or PAR.

<sup>†</sup>1.50 CBF only for Super HiVision Meiryo EX4.

©2024 HOYA Corporation. All rights reserved. Hoyalux iD MyStyle, Hoyalux iD LifeStyle, Hoyalux Array, Tact, Phoenix, Super HiVision, Super HiVision EX3, Sensity, View Protect, Hoyalux Summit, Recharge, HiVision, BKS Technology, Diamond Tint, Summit and Amplitude are registered trademarks of HOYA Corporation. EX3+, ID Single Vision, Single Vision iQ, Sync III, Integrated Dual Surface, Integrated Dual Side, Binocular Harmonization Technology, View Xpansion Technology, Stabilight Technology, Binocular Eye Model, 3D Visual Acuity Simulation, ST28 iQ, ID Space, ID Space, ID Screen, ID Zoom, MySV, 360° Visual Comfort, Meiryo, EX4, 3D Binocular Vision, and Visionary Alliance are trademarks of HOYA Corporation. Transitions, Transitions Signature, XTRActive and Vantage are registered trademarks, and the Transitions Jogo is a trademarks of Transitions Optical, Inc. used under license by Transitions Optical Limited. GEN 8 and Light under control are registered trademarks, and copyrights are the property of their respective owners. 04.24

