


Prescription Selection Chart

Power (D)	Diameter (mm)	Center Thickness <sup>1</sup> (mm)	Edge Thickness <sup>2</sup> (mm)	Diameter (mm)	Center Thickness <sup>1</sup> (mm)	Edge Thickness <sup>2</sup> (mm)
+2.00	65	2.9	0.8			
+1.75	65	2.7	0.9			
+1.50	65	2.6	1.1			
+1.25	65	2.5	1.2			
+1.00	65	2.4	1.4			
+0.75	65	2.3	1.5			
+0.50	65	2.2	1.7			
+0.25	65	2.1	1.9			
+0.00				70	2.0	2.0
-0.25				70	2.0	2.3
-0.50				70	1.9	2.5
-0.75				70	1.9	2.9
-1.00				70	1.8	3.0
-1.25				70	1.8	3.4
-1.50				70	1.8	3.7
-1.75				70	1.7	3.9
-2.00				70	1.7	4.2
-2.25				70	1.6	4.4
-2.50				70	1.6	4.8
-2.75				70	1.5	5.0
-3.00				70	1.5	5.3
-3.25				70	1.5	5.5
-3.50				70	1.4	5.8
-3.75				70	1.4	6.1
-4.00				70	1.3	6.3
-4.25				70	1.3	6.6
-4.50				70	1.3	7.0
-4.75				70	1.3	7.3
-5.00				70	1.3	7.6
-5.25				70	1.3	7.9
-5.50				70	1.3	8.2
-5.75				70	1.3	8.7
-6.00				70	1.3	9.0

MINUS CYLINDER POWER



<sup>1</sup>Ranges of up to +/-0.2mm for the same power

<sup>2</sup>Shown are the edge thicknesses for powers with a 0 cylinder. Check the Lens Description Standard (LDS) file for values for the other cylinders.